

# PELICAN™

## DANGER ZONE SAFE

NEW PELICAN™ 2745, 2755 AND 2765 SAFETY APPROVED LED HEADLIGHTS:  
MULTI-BEAM FUNCTIONALITY AT YOUR FINGERTIPS



### PELICAN™ 2765 LED HEADLIGHT

- High, low, and flashing modes
- Downcast LEDs
- Full level battery indicator

AVAILABLE FALL 2014

### PELICAN™ 2755 LED HEADLIGHT

- High, low, and flashing modes
- Includes low battery warning

### PELICAN™ 2745 LED HEADLIGHT

- High, low, and flashing modes



## USA


Pelican Products, Inc.  
23215 Early Avenue  
Torrance, CA 90505  
Tel 310-326-4700  
Fax 310-326-3311  
Toll Free 800-473-5422

## CANADA

Pelican Products ULC  
10221-184th Street  
Edmonton, Alberta T5S 2J4  
Tel +780 481 6076  
Fax +780 481 9586  
Toll Free 866-273-5422

*Free postcards with  
your logo imprint:  
Pelican.com/dealers*

### NEW: PELICAN™ 2745, 2755, AND 2765 LED HEADLIGHTS



Pelican™ safety approved headlights are designed for use in hazardous environments. They are not only Class I Div1 approved but also shine bright (up to 100 lumens) and burn long (up to 40 hours). Additional features include downcast LEDs for illuminating your path, and a battery level indicator so you won't be left in the dark. Count on Pelican to bring you the best in lighting design and technology.



The new Pelican™ 2745, 2755, and 2765 headlights: Guiding you safely through the danger zone.

- All Models Are IPX4
- All Models Include a Cloth Strap and a Rubber Strap
- 3 AAA Alkaline Batteries Included With All Models

#### PELICAN™ 2745 LED HEADLIGHT

##### ■ LIGHT OUTPUT\*

33 Lumens High  
17 Lumens Low

##### ■ RUN TIME\*

20h High  
40h Low

##### ■ LIGHT MODES

3 LEDs High | 3 LEDs Low  
3 LEDs Flashing

#### PELICAN™ 2755 LED HEADLIGHT

##### ■ LIGHT OUTPUT\*

72 Lumens High  
34 Lumens Low

##### ■ RUN TIME\*

6h High  
15h Low

##### ■ LIGHT MODES

1 LED High  
1 LED Low  
1 LED Flashing

#### PELICAN™ 2765 LED HEADLIGHT (preliminary specs)

##### ■ LIGHT OUTPUT\*

105 Lumens High | 65 Lumens Low  
33 Lumens Downcast

##### ■ RUN TIME\*

4h 15m High | 6h 15m Low  
9h 30m Flashing

##### ■ LIGHT MODES

3 LEDs High | 3 LEDs Low  
2 LEDs Downcast | 1 LED Flashing

## GUARANTEED FOR LIFE

SEE PELICAN.COM/WARRANTY FOR FULL DETAILS.

All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its affiliates or subsidiaries.



## USA


Pelican Products, Inc.  
23215 Early Avenue  
Torrance, CA 90505  
Tel: 310-326-4700  
Fax: 310-326-3311  
Toll Free 800-473-5422

## CANADA

Pelican Products ULC  
10221-184th Street  
Edmonton, Alberta T5S 2J4  
Tel: +780 481 6076  
Fax: +780 481 9586  
Toll Free: 866-273-5422

**Free postcards with  
your logo imprint:  
Pelican.com/dealers**

### NEW: PELICAN™ 2745, 2755, AND 2765 LED HEADLIGHTS



Pelican™ safety approved headlights are designed for use in hazardous environments. They are not only Class I Div1 approved but also shine bright (up to 100 lumens) and burn long (up to 40 hours). Additional features include downcast LEDs for illuminating your path, and a battery level indicator so you won't be left in the dark. Count on Pelican to bring you the best in lighting design and technology.



The new Pelican™ 2745, 2755, and 2765 headlights: Guiding you safely through the danger zone.

- All Models Are IPX4
- All Models Include a Cloth Strap and a Rubber Strap
- 3 AAA Alkaline Batteries Included With All Models

#### PELICAN™ 2745 LED HEADLIGHT

##### ■ LIGHT OUTPUT\*

33 Lumens High  
17 Lumens Low

##### ■ RUN TIME\*

20h High  
40h Low

##### ■ LIGHT MODES

3 LEDs High | 3 LEDs Low  
3 LEDs Flashing

#### PELICAN™ 2755 LED HEADLIGHT

##### ■ LIGHT OUTPUT\*

72 Lumens High  
34 Lumens Low

##### ■ RUN TIME\*

6h High  
15h Low

##### ■ LIGHT MODES

1 LED High  
1 LED Low  
1 LED Flashing

#### PELICAN™ 2765 LED HEADLIGHT (preliminary specs)

##### ■ LIGHT OUTPUT\*

105 Lumens High | 65 Lumens Low  
33 Lumens Downcast

##### ■ RUN TIME\*

4h 15m High | 6h 15m Low  
9h 30m Flashing

##### ■ LIGHT MODES

3 LEDs High | 3 LEDs Low  
2 LEDs Downcast | 1 LED Flashing

## GUARANTEED FOR LIFE

SEE PELICAN.COM/WARRANTY FOR FULL DETAILS.

All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its affiliates or subsidiaries.




Pre-Sorted  
First Class  
U.S. Postage  
**PAID**  
Permit # 234  
Torrance, CA

## USA

Pelican Products, Inc.  
23215 Early Avenue  
Torrance, CA 90505  
Tel 310-326-4700  
Fax 310-326-3311  
Toll Free 800-473-5422

*Free postcards with  
your logo imprint:  
Pelican.com/dealers*

### NEW: PELICAN™ 2745, 2755, AND 2765 LED HEADLIGHTS



Pelican™ safety approved headlights are designed for use in hazardous environments. They are not only Class I Div1 approved but also shine bright (up to 100 lumens) and burn long (up to 40 hours). Additional features include downcast LEDs for illuminating your path, and a battery level indicator so you won't be left in the dark. Count on Pelican to bring you the best in lighting design and technology.

The new Pelican™ 2745, 2755, and 2765 headlights:  
Guiding you safely through the danger zone.

- All Models Are IPX4
- All Models Include a Cloth Strap and a Rubber Strap
- 3 AAA Alkaline Batteries Included With All Models

#### PELICAN™ 2745 LED HEADLIGHT

##### ■ LIGHT OUTPUT\*

33 Lumens High  
17 Lumens Low

##### ■ RUN TIME\*

20h High  
40h Low

##### ■ LIGHT MODES

3 LEDs High | 3 LEDs Low  
3 LEDs Low  
3 LEDs Flashing

#### PELICAN™ 2755 LED HEADLIGHT

##### ■ LIGHT OUTPUT\*

72 Lumens High  
34 Lumens Low

##### ■ RUN TIME\*

6h High  
15h Low

##### ■ LIGHT MODES

1 LED High  
1 LED Low  
1 LED Flashing

#### PELICAN™ 2765 LED HEADLIGHT (preliminary specs)

##### ■ LIGHT OUTPUT\*

105 Lumens High | 65 Lumens Low  
33 Lumens Downcast

##### ■ RUN TIME\*

4h 15m High | 6h 15m Low  
9h 30m Flashing

##### ■ LIGHT MODES

3 LEDs High | 3 LEDs Low  
2 LEDs Downcast | 1 LED Flashing

## GUARANTEED FOR LIFE

SEE PELICAN.COM/WARRANTY FOR FULL DETAILS.

All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its affiliates or subsidiaries.



## CANADA

Pelican Products ULC  
10221-184th Street  
Edmonton, Alberta T5S 2J4  
Tel: +780 481 6076  
Fax: +780 481 9586  
Toll Free: 866-273-5422

*Free postcards with  
your logo imprint:  
Pelican.com/dealers*

### NEW: PELICAN™ 2745, 2755, AND 2765 LED HEADLIGHTS



Pelican™ safety approved headlights are designed for use in hazardous environments. They are not only Class I Div1 approved but also shine bright (up to 100 lumens) and burn long (up to 40 hours). Additional features include downcast LEDs for illuminating your path, and a battery level indicator so you won't be left in the dark. Count on Pelican to bring you the best in lighting design and technology.



The new Pelican™ 2745, 2755, and 2765 headlights:  
Guiding you safely through the danger zone.

- All Models Are IPX4
- All Models Include a Cloth Strap and a Rubber Strap
- 3 AAA Alkaline Batteries Included With All Models

#### PELICAN™ 2745 LED HEADLIGHT

##### ■ LIGHT OUTPUT\*

33 Lumens High  
17 Lumens Low

##### ■ RUN TIME\*

20h High  
40h Low

##### ■ LIGHT MODES

3 LEDs High  
3 LEDs Low  
3 LEDs Flashing

#### PELICAN™ 2755 LED HEADLIGHT

##### ■ LIGHT OUTPUT\*

72 Lumens High  
34 Lumens Low

##### ■ RUN TIME\*

6h High  
15h Low

##### ■ LIGHT MODES

1 LED High  
1 LED Low  
1 LED Flashing

#### PELICAN™ 2765 LED HEADLIGHT (preliminary specs)

##### ■ LIGHT OUTPUT\*

105 Lumens High | 65 Lumens Low  
33 Lumens Downcast

##### ■ RUN TIME\*

4h 15m High | 6h 15m Low  
9h 30m Flashing

##### ■ LIGHT MODES

3 LEDs High | 3 LEDs Low  
2 LEDs Downcast | 1 LED Flashing

## GUARANTEED FOR LIFE

SEE [PELICAN.COM/WARRANTY](http://pelican.com/warranty) FOR FULL DETAILS.

All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its affiliates or subsidiaries.




## AUSTRALIA

Pelican Products Pty Ltd  
Suite 2.33, Platinum West  
4 Ilya Avenue, Erina NSW 2250  
Tel: +612 4367 7022 • Fax: +612 4367 7066  
infoAustralia@pelican.com  
Fax 780-481-9586

*Free postcards with  
your logo imprint:  
Pelican.com/dealers*

### NEW: PELICAN™ 2745, 2755, AND 2765 LED HEADLIGHTS



Pelican™ safety approved headlights are designed for use in hazardous environments. They are not only Class I Div1 approved but also shine bright (up to 100 lumens) and burn long (up to 40 hours). Additional features include downcast LEDs for illuminating your path, and a battery level indicator so you won't be left in the dark. Count on Pelican to bring you the best in lighting design and technology.



The new Pelican™ 2745, 2755, and 2765 headlights:  
Guiding you safely through the danger zone.

- All Models Are IPX4
- All Models Include a Cloth Strap and a Rubber Strap
- 3 AAA Alkaline Batteries Included With All Models

#### PELICAN™ 2745 LED HEADLIGHT

##### ■ LIGHT OUTPUT\*

33 Lumens High  
17 Lumens Low

##### ■ RUN TIME\*

20h High  
40h Low

##### ■ LIGHT MODES

3 LEDs High | 3 LEDs Low  
3 LEDs Flashing

#### PELICAN™ 2755 LED HEADLIGHT

##### ■ LIGHT OUTPUT\*

72 Lumens High  
34 Lumens Low

##### ■ RUN TIME\*

6h High  
15h Low

##### ■ LIGHT MODES

1 LED High  
1 LED Low  
1 LED Flashing

#### PELICAN™ 2765 LED HEADLIGHT (preliminary specs)

##### ■ LIGHT OUTPUT\*

105 Lumens High | 65 Lumens Low  
33 Lumens Downcast

##### ■ RUN TIME\*

4h 15m High | 6h 15m Low  
9h 30m Flashing

##### ■ LIGHT MODES

3 LEDs High | 3 LEDs Low  
2 LEDs Downcast | 1 LED Flashing

## GUARANTEED FOR LIFE

SEE [PELICAN.COM/WARRANTY](http://pelican.com/warranty) FOR FULL DETAILS.

All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its affiliates or subsidiaries.



**PELICAN™**

[www.pelicanaustralia.com](http://www.pelicanaustralia.com)