

9460 REMOTE AREA LIGHTING SYSTEM

Featuring Intelligent Control



USA

Pelican Products, Inc.
2629 Early Avenue
Folsom, CA 90508
Tel: 916-326-4700
Fax: 916-326-3311
Toll Free 800-473-5272

CONTROL

controls

rol

ow

er head)

lay

tor

180°
pivoting head

Quick release
extension lock

Retractable
extension
handle

All contents
stow inside
waterproof,
and dustproof
case

Strong
polyurethane
wheels with
stainless steel
bearings

HEIGHT Series	LENGTH Extended Height	LUMENS	RUN TIME	BEAM SPREAD	LEDs	HEADS
11lbs. (5kg)	70.87" (179.9 cm)	6000 (high) 500 (low)	7h (high) 40h (low)	90°	6 per head	2

GUARANTEED FOR LIFE
SEE PELICAN.COM/WARRANTY FOR FULL DETAILS

PELICAN.COM

DESIGNED IN

USA

and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates.

180° pivoting head

Quick release extension lock

Retractable extension handle

All contents stow inside waterproof, and dustproof case

Strong polyurethane wheels with stainless steel bearings

USA

Pelican Products, Inc.
2625 Early Avenue
Troy, CA 90508
Tel: 909-326-4700
Fax: 909-326-3311
Toll Free 800-473-5229

CANADA

Pelican Products ULC
10221-10th Street
Edmonton, Alberta T5S 2J4
Tel: +780-5481-6076
Fax: +780-5481-9586
Toll Free 866-273-5429

CONTROL

controls

rol

ow

er head)

lay

tor

WEIGHT Series	LENGTH Extended Height	LUMENS	RUN TIME	BEAM SPREAD	LEDs	HEADS
11.5 lbs. (5.2 kg)	70.87" (179.9 cm)	6000 (high) 500 (low)	7h (high) 40h (low)	90°	6 per head	2

GUARANTEED FOR LIFE
SEE PELICAN.COM/WARRANTY FOR FULL DETAILS

DESIGNED IN



and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates.

AUSTRALIA

Pelican Products (Aust) Ltd
Suite 2.33, Platina West
4111 Avenue, Erindale NSW 2250
Tel: +612 4367 7022
Fax: +612 4367 7000
Email: Australia@pelican.com

180°
pivoting head

Quick release
extension lock

Retractable
extension
handle

All contents
stow inside
waterproof,
and dustproof
case

Strong
polyurethane
wheels with
stainless steel
bearings

CONTROL

controls

rol

ow

er head)

lay

tor

HEIGHT Series	LENGTH Extended Height	LUMENS	RUN TIME	BEAM SPREAD	LEDs	HEADS
115 lbs. (52 kg)	70.87" (179.9 cm)	6000 (high) 500 (low)	7h (high) 40h (low)	90°	6 per head	2

DESIGNED IN

USA

and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates.

GUARANTEED FOR LIFE
SEE PELICAN.COM/WARRANTY FOR FULL DETAILS

PELICANAUSTRALIA.COM